

ltem#_

FLEXLINE™ CARTS AND DRAWERS

Flexible options. Designed around you.

Flexline $^{\text{\tiny{M}}}$ is designed with interchangeable components and accessories that can be combined in different configurations to conform to various applications.

- Infection Control: Flexline helps improve Infection Control with a cleaner design that includes corrosion proof polymer materials, smooth rounded corners to allow for easy cleaning and *Microban® Antimicrobial Product Protection that keeps the cart cleaner between cleanings.
- Easy Mobility: Lightweight polymer construction, integrated cart handles and 5" (127mm) polyurethane casters, 2 directional and 2 total lock, provide for smooth transport and nimble maneuvering.
- Active Security: Security can range from key locks to keyless entry electronic locks. The Electronic locks provide several levels of sophistication from simple keyless entry to auto-locking and audit trails. Card Readers (Proximity, Magnetic, & Bar Code) are an optional upgrade to the full feature electronic lock.
- Passive Security: Drawers can be individually sealed with serialized plastic security seals or simply place a seal on the cart latch and seal all drawers with one seal.
- Added Security: Additional secure storage may be had by specifying locking side bins. When ordered these bins will be secured by the carts locking mechanism, either on the key lock side or passive lock side of the cart.
- **Field Upgradeable:** Drawers and many accessories may be added or reconfigured at the facility. Choose your drawers and accessories for today's application needs and change them to meet tomorrow's.
- Organization and Identification: Self-closing, full access drawers in a variety of heights, drawer dividers and labels, side storage accessories and an overbridge system are available to allow for easy access and identification of cart contents.
- **Spacious Worksurface** provides a smooth writing surface or ample space for prep work. For additional work space an optional pass through side shelf is available as an added bonus.
- **Identifiable:** Clean, contemporary design looks great in any professional environment. Ten drawer pull colors are available for easy identification of the cart or drawer purpose.
- Configurations That Fit Your Budget: Flexline is available in four heights and two widths and can be configured with or without a range of accessories, your choice!







Metro incorporates several elements in its product design to support a facility's infection control processes:

- Microban® antimicrobial protection helps keep products "cleaner between cleanings"
- Polymer and other proprietary finishes provide corrosion resistance
- Smooth rounded corners to allow for easier cleaning

Look for the "red check" symbol for this added protection



*Microban® antimicrobial product protection helps keep shelves "cleaner between cleanings" by inhibiting the growth of bacteria, mold and mildew that cause odors and stains on the shelf surface.

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.





FLEXLINE™ CARTS AND DRAWERS

Packages include carts and accessories.









Code Response Package FLCRP2 Code Response Package FLCRP3



Code Response Package FLCRP4



Code Response Pediatrics FLPED1



Anesthesia Package FLANES1



Isolation Package FLISO1



Isolation Pediatrics FLISO3



Bedside Package FLBED



Treatment Package FLTMENT1



Treatment Package FLTMENT2



Procedure Package FLPROC1



Procedure Package FLPROC2



Cast Package FLCAST



Endoscopic Package FLENDO



Dressing Package FLDRS

FLEXLINE™ CARTS AND DRAWERS





Optional Drawer Pull Colors

Other drawer pull colors can be configured via Build-A-Cart from the Metro Healthcare Solutions Guide or the Metro Configurator. Both are accessible at Metro.com





Metro incorporates several elements in its product design to support a facility's infection control processes:

- Microban® antimicrobial protection helps keep products "cleaner between cleanings"
- Polymer and other proprietary finishes provide corrosion resistance
- Smooth rounded corners to allow for easier cleaning

Look for the "red check" symbol for this added protection



FLEXLINE™ CARTS AND DRAWERS

Flexline Application-Specific Carts																									
Carts shown on the previous pages are						_					ᆵ	2	_	_	Ь							ی	.		ш
configured with the components and accessories	FLCRP	FLCRP2	FLCRP3	FLCRP4	FLPED1	FLANES1	FLIS01	FLIS02	FLIS03	FLBED	FLTMENT1	FLTMENT2	FLPR0C1	FLPR0C2	FLCOM-LT	FLCAST	FLEND0	FLDRS	>	FLCCU1	FLCCU2	FLMDSRG	FLCLINE	FLAIR	FLNURSE
listed here. Model No. Description		E E]]]		2	교	교	2	H					H(H(F	교	FLN	H(F.	교		3	
FL113 3" Drawer Divider Kit						1			1			2		3		1		2	2		1		2	Х	
_116 6"/9" Drawer Divider Kit						2			3			2		1		1		1			1		1	1	
FL131 Ampule Insert and 12 Divider for 3" Drawer Tray FL151 3" Drawer Divider Tray with Dividers	2	3	2	3															1					4	
FL159 6" Drawer Divider Tray with Dividers	1	1	2	2																					
FL211 Side Bin (1) — Locking	2	ı '	3	4													3			4	3	3	2		
FL212 Side Bin (1) — Non Locking						4	2						3	3	3	4	3	4		4	3	1	2	3	2
FL221 Waste Basket 28 Quart and Holder						Χ										Χ		Χ					Х		
FL234 O ₂ Tank Holder — Low	X	Χ		V	V																			4	
FL235 O₂ Tank Holder — High FL237 Glove Box Holder — Triple				Χ	Χ				Χ																
FL251 Lockable Sharps Container		Х				Х								Χ					Х			Х	Х		
FL302 Cord Manager		X	Χ	Χ		,								, ,					, ,						
FL303 Defibrillator Strap Kit		Χ																							
LEC304 Adjustable Defibrillator Tray	X	.,	X	Х									V												
FL305 Hospital Grade 6-Outlet Strip and Holder	Χ	Χ	X	X	X								Х				Χ				Χ				
LEC306 Suction Pump Shelf LEC308 Backboard with Front Assembly Kit	X		^	^	^																			4	
LEC309 Backboard with Back Assembly Kit		Х	Х	Χ	Х																				
FL310 Articulating Arm — Laptop															Χ										
FL318 Articulating Arm — Monitor																	Χ								
FL313 Peel Pouch/Catheter Holder						Χ								\ /								\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
FL314 Pull Out Side Shelf FL315 2HK I.V. Pole with Cart Mount	Х	Х	X	X	X		Χ		X					Χ		Χ	Χ		V		Χ	Х			
FL317 4HK I.V. Pole with Cart Mount	^	^	^	^	Χ		^		^										Χ						
LEC320 Plastic Security Seals 100 pack	X	Х	Х	Х	Х																				
FL402 Individual Drawer Seal Lock Bar — Flex 42" Cart			Χ																						
FL403 Individual Drawer Seal Lock Bar — Flex 45" Cart					Χ																				
FL411 Auto Lock Keyless Entry Touch Pad											Х								X					X	
FL420 Lock Alert VI — Auto Lock FL510 Overbridge with 2 Hanger Rails						X							X	Χ	Χ		Χ			Χ		Х	Х		
FL515 Overbridge with Top Shelf and Hanger Rail						^							^	Χ						Χ	Χ	Х			
FL520 Overbridge with 2 Shelves														/\		Χ				/\	/\				
FL544 Tilt Bin 4 for Overbridge						Χ																			
FL546 Tilt Bin 6 for Overbridge						Χ														Χ					
FL566 4HK I.V. Pole with Universal Clamp — For Overbridge													V												
FL581 Half-Size Utility Bin FL583 Label/Tape Dispenser													X											4	
FL585 Wire Supply Basket														Χ							Χ				
FL586 Utility Bin with Cover													Χ	, ,							, ,	Χ			
Carts					•																			·	
Model No. Description																						匚	\Box		
FL21P 36" (914mm) Cart — Passive Lock	X	V					Х																		Χ
FL24P 39" (991mm) Cart — Passive Lock FL27P 42" (1067mm) Cart — Passive Lock		Χ	X															Χ							
FL30P 45" (1143mm) Cart — Passive Lock				Х	Х											Χ		^							
FLN24P 39" (991mm) Narrow Cart — Passive Lock					, ,			Χ								, ,									
FLN30P 45" (1143mm) Narrow Cart — Passive Lock									Χ														П		
FL24K 39" (991mm) Cart — Key Lock													Х						Х						
FL27K 42" (1067mm) Cart — Key Lock						V								Χ	Χ		Χ			V	Χ	Х	V	Х	
FL30K 45" (1143mm) Cart — Key Lock FLN21K 36" (914mm) Narrow Cart — Key Lock						Χ				Χ	Х									Χ			Χ	4	
FLN24K 39" (991mm) Narrow Cart — Key Lock										^	^														
FLN27K 42" (1067mm) Narrow Cart — Key Lock												Χ													
FLN30K 45" (1143mm) Narrow Cart — Key Lock																									
FL- Drawer Pull Color	_	_		_	FL-PED9	_		١.			_	_	[ا س	_	~	_	_					ا س	_	
Drawers	FL-CB	FL-CB	FL-CB	FL-CB	뿔	FL-SB	FL-YL	FL-YL	FL-YL	FL-VL	FL-GR	FL-SB	FL-SB	FL-TPE	FL-SB	FL-OR	FL-GN	FL-SB	吊	FL-RD	품	FL-GN	FL-DTE	FL-SB	FL-VL
Model No. Description		L L	ĮΨ	Ē	ΙŒ	L L	ΙŒ	L.	ш	Ē	1111	шΊ	ш.	шΊ	ш	ш	ш	LE I	ĮΨ	ഥ	ш	ഥ	ш.	шΙ	ш
FL101 3" (76mm) Pull Out Shelf		H		Т		H					П		П	1			1		П		1		\dashv	\neg	—
FL102 Keyboard Tray															1		1								
FL103L 3" (76mm) Narcotics Box/Individual Locking Drawer			1		0	1		4	4	0	4	0		0	4	0	0	0	0	0	4				0
FL103 3" (76mm) Drawer FL106 6" (152mm) Drawer	2	3	4	3	8	2	2	1 2	1	2	3	2 2	2	3	1 2	3 2	2	3	3	3	1	2	3 2		2
FL109 9" (229mm) Drawer	1	1	1	1	,	1	1	1	3	1	J	1		2	1	1	1	2	1	1	1	1			1
FL112 12" (305mm) Drawer													1												

FLEXLINE™ CARTS AND DRAWERS



Specifications:

- Cart Body: Blow molded high density polyethylene (HDPE) body panels and top with Microban antimicrobial product protection. Top has integrated push handle. Side panels provide integrated accessory strips to allow no tool assembly of most accessories. Bins are available as locking or non-locking.
- Cart Frame: Epoxy coated 14 gauge, cold rolled steel
- Locking Mechanism: 12 gauge stainless steel bar with polycarbonate drawer mounted lock tabs. Passive security provided for drawers and left side bins (optional) with plastic security seal. Key lock mechanism provided for drawers and right side bins (optional). Electronic locks are optional for key
- Casters: Four 5" (127mm) diameter stem casters with polyurethane tread and polymer horn: 2 Swivel lock — Rear, 2 total lock (brake and swivel lock) — Front.
- Wheel Base: Built-in extended base frame provides cart stability to adequately support articulating arms and overbridge accessories.
- Drawers: ABS injection molded drawer body, blow molded HDPE with Microban antimicrobial drawer front, ABS and Microban antimicrobial injection molded colored drawer pull and full extension, self-closing, ball bearing drawer slides.

Inside Dimension: 17" x 201/8" (432 x 511mm)

Inside Height Weight Capacity 3''(76mm) = 15 lbs. (6.75kg)2.75" (70mm) 6'' (152mm) = 25 lbs. (11.25kg)5.75" (146mm) 9''(228mm) = 45 lbs.(20.25kg)8.75" (222mm) 12" (305mm) = 45 lbs. (20.25kg)11.75" (298mm)

• Pullout shelf: 1.75" (44mm) high epoxy coated 16 gauge cold rolled steel, with full extension, self-closing, ball bearing drawer slides. Weight Capacity: 45 lbs. (20.25kg)


Standard Cart Dimensions (D x L x H):


22³/₈" x 32¹/₄" x 44⁷/₈" (568 x 819 x 1140mm) 22³/₈" x 32¹/₄" x 41¹/₂" (568 x 819 x 1054mm) 223/8" x 321/4" x 381/8" (568 x 819 x 968mm) $22^{3}/8$ " × $32^{1}/4$ " × $34^{3}/4$ " (568 x 819 x 883mm)


Narrow Cart Dimensions (D x L x H):

22³/₈" x 28⁷/₈" x 44⁷/₈" (568 x 733 x 1140mm) 22³/₈" x 28⁷/₈" x 41¹/₂" (568 x 733 x 1054mm) 223/8" x 287/8" x 381/8" (568 x 733 x 968mm) 22³/₈" x 28⁷/₈" x 34³/₄" (568 x 733 x 883mm)

Standard Narrow 32¹/₄" 819mm 28⁷/₈" 733mm 447/8" 1149mm 30" (762mm) 30" (762mm) (686mm) (686mm)









All Metro Catalog Sheets are available on our Web Site: www.metro.com

