Start M2



Product highlights

- Fully configurable lightweight wheelchair
- Patented, tool-free, quick seat depth adjustment (up to 50 mm)
- · Very low weight with full Ottobock quality (from 14.7 kg total weight, from 9.6 kg transport weight*)
- Antibacterial push handles**
- Excellent component compatibility
- New adjustable Economy back upholstery
- Larger centre of gravity adjustment range
- Larger selection of seat depths, including for people with a height over 2 m
- · Larger selection of seat widths
- More options for height adjustment and seat tilt
- Wider foot space for hemiplegics, which allows "foot propelling"
- New one-hand drive for hemiplegics
- Numerous updated and improved accessories



Product features

- · Aluminium frame
- Selection of 6 different colours (anthracite metallic, jet black RAL 9005, ice blue, silver metallic, saturn blue metallic, white
- Tip-assist integrated into the frame
- · Seat and back upholstery: black nylon
- Side panel with armrest, height can be adjusted (without tools) or set (with tools), adjustable depths, elevating
- 8" caster wheels (200 x 50 mm) with PU tyres or 5", 5.5", 6", 7", 8"
- · Adjustable caster head
- · Knee lever wheel lock
- 24" rear wheels with PU tyres or 22" rear wheels
- Individual footrests, angle-adjustable, plastic foot plate
- · Swing-away footrest holders
- · Drum brake for user and attendant

Technical data

User weight	125 kg
Wheelchair weight	See weight table, page 27
Seat width	6 seat widths: 380/405/430/455/480/505 mm
Seat depth	Frame size 1: 405/430/455 mm Frame size 2: 480/505 mm
Back height	400/425/450/475 mm
Anterior seat height	380 – 510 mm
Posterior seat height	380 – 510 mm
Seat angle	selectable
Lower leg length	250 – 470 mm (continuously adjustable)

^{*} The transport weight is the total weight of the wheelchair minus the weight of the rear wheels, footrests and seat cushion.

^{**} The antibacterial effect of the push handles has been verified by an independent institute.

Start M2 options



Side panel with height-adjustable armrest



Adjustable Advanced back upholstery



Padded seat upholstery



Wider foot space



One-arm drive



Armrest with swivel unit

Start M2 options



Various hand pads



Asymmetrical individual footrests, angle-adjustable, plastic foot plate



Single-panel footrest, aluminium footplate



Elevating footrest



Amputation legrest



Height-adjustable push handles

Start M2 options



Knee lever wheel lock for one-handed operation, right/left



Wheel lock for user and attendant



Add-on drives (here the new eSupport)



Various caster wheels



Various rear wheels/tyres/push rings



Various rear wheels/tyres/push rings